



**GE APPLIANCES**  
a Haier company

*CustomerNet*

# GE® 4.8 cu. ft. Capacity Smart Front Load ENERGY STAR® Washer with UltraFresh Vent System with OdorBlock™ and Sanitize w/Oxi Model# GFW550SSNWW



## FEATURES

- UltraFresh Vent System With OdorBlock™ - The first and only UltraFresh Vent System with OdorBlock™ eliminates excess moisture to help prevent odors ensuring your washer stays fresh and clean
- Microban® antimicrobial technology - Built into components including the gasket, dispenser and draining system delivering protection that lives on load after load
- Built-in WiFi - Start, stop and monitor your laundry from anywhere while receiving real-time notifications and updates
- Sanitize with Oxi - Remove 99% of bacteria with a dedicated cycle that uses an Oxi additive to boost your detergent's cleaning power, while keeping fabrics looking and feeling their best
- Dynamic Balancing Technology (dBT™) - Our patented, time saving technology senses and rebalances uneven loads during the spin cycle, providing a quiet wash

Optional Soil Levels	Extra Heavy Extra Light Heavy Light Normal
Washer Options/Settings	Delay Start Delay Wash Extra Rinse More Water My Settings Pre Wash Time Saver Tumble Care UltraFresh Vent
Washer Control Features	Add Garment/Pause Adjustable End-of-Cycle Signal Control Lock Delay Wash - Up to 24 hours Digital Cycle Countdown LED Display LED Indicators My Settings Remote Start
Receptacle Type	3-Prong Grounding
Pedestal	Optional
Dispenser	Bleach Timed Flow Through Detergent (Liquid/Powder) Timed Flow Through Fabric Softener Timed Flow Through PreWash Protected with Microban®
Maximum Spin Speed	1300 RPM
Number of Cycles	10
Product Type	Front Load Stackable
Wash/Rinse Temperatures	5
Vibration Control	dBT™ Quiet Control patented technology
Water Levels	Automatic Temperature Control Load-Sensing Adaptive Fill More Water Option
Connected Capabilities	Amazon Alexa IFTTT Sonos The Google Assistant
Specialty Cycles	Bulky/Bedding Cold Wash Drain & Spin Pre-Wash Sanitize with Oxi Self Clean
Style	Front-Loading
Control Type	Capacitive Touch Power On/Off Rotary-Electronic w/LEDs Start/Pause

- Reversible Door - Easily reverse your washer and dryer door for superior installation flexibility
- 32-In Depth - Fits into more homes, with no additional installation space required
- Quick Wash Cycle - Provides a fast 20 minute wash for lightly soiled items
- 10-year Limited Warranty - Rest assured knowing your washer is backed by a 10-year warranty

Additional Washer Features	Adjustable Leveling Legs Front Serviceable Power Cord Attached Reversible Door
Whites Cycle	Yes
Adaptive Capabilities	Adaptive Spin Auto-Load Sensing Automatic Temperature Control dBt™ Quiet Control
Washer Cycles	Bulky/Bedding Cold Wash Delicates Normal Quick Wash Rinse + Spin Sanitize with Oxi Self Clean Towels Whites
Water Temp System	PerfecTemp Deluxe
Spin Speeds	5
WiFi Connect	Built-In
Leveling System	Adjustable Leveling Legs
OdorBlock Capabilities	UltraFresh Vent System™ with OdorBlock™

Have more questions? Please contact 1-800-626-2000



**GE APPLIANCES**  
a Haier company

*CustomerNet*

## GE® 4.8 cu. ft. Capacity Smart Front Load ENERGY STAR® Washer with UltraFresh Vent System with OdorBlock™ and Sanitize w/Oxi Model# GFW550SSNWW

---

### APPROXIMATE DIMENSIONS(HxDxW)

- 39 3/4 H x 28 W x 32 D

### CAPACITY

- Wash Basket Type - Stainless Steel - Tilted
- Total Capacity (cubic feet) - 4.800000cu ft

### ECONOMICAL / QUIET

- Quiet Package - Quiet-By-Design with dBT™ Quiet Control

### APPEARANCE

- Front Serviceable - Yes
- Door Style - Chrome Outer Ring with Chrome Vent Reversible Door  
See-Thru Glass with Tinted Door Protect
- Handle - Pocket Handle
- Color Appearance - White on White
- Installation - True32 Closet Depth  
Undercounter, Stacked, Side-by-Side, Built-In, Pedestal
- Trim/Accents - Chrome/White Knob

### WEIGHTS & DIMENSIONS

- Approximate Shipping Weight (lb) - 256lb
- Net Weight (lb) - 246lb
- Depth with Door Open 90° (in) - 54 1/2in
- Overall Height (in) - 39 3/4in
- Overall Depth (in) - 32in
- Overall Width (in) - 28in

### POWER / RATINGS

- Volts/Hertz - 120V; 60Hz
- Circuit Breaker or Time Delay Fuse - 15 or 20 Amp
- Motor Speeds - Variable

### ACCESSORIES

- Fill Hose - WH41X10207 (sold separately)
- Optional Stacking Kit - GFA28KITN
- Optional Pedestal Accessory - GFP1528SNWW (Sold Separately)

### WARRANTY

- Parts Warranty - Limited 1-year entire appliance
- Warranty Notes - See written warranty for full details
- Labor Warranty - Limited 1-year entire appliance  
Limited 10-year basket  
Limited 10-year motor

### CERTIFICATIONS

- Claims & Certifications - ADA Compliant  
ENERGY STAR® Qualified  
CEE Tier I  
California Prop 65

*Have more questions? Please contact 1-800-626-2000*